


Brand new STGx xxDC burner series



Six new light-oil burners with direct current electric supply


- ★ Compact dimensions
- ★ Lightweight
- ★ Equipped with sheet metal cover
- ★ Three 12V dc models, three 24V dc models
- ★ 3, 4 or 6 kg/h nominal powers

TECHNICAL CHARACTERISTICS


Light-oil capacity	STG3 xxDC types	1.5 ÷ 3.7 kg/h
	STG4 xxDC types	2.8 ÷ 4.6 kg/h
	STG6 xxDC types	3.7 ÷ 6.1 kg/h
Burner power	STG3 xxDC types	17.4 ÷ 44.2 kW
	STG4 xxDC types	33.0 ÷ 55.1 kW
	STG6 xxDC types	44.2 ÷ 72.8 kW
Fuel	all types	Light-oil
Electric supply	STGx 12DC types	12 V DC
	STGx 24DC types	24 V DC
Motor power	STG3 xxDC & STG4 xxDC types	60 W
	STG6 xxDC types	110 W
Power consumption maximum / ignition / working	STG3 12DC type	180 W / 150 W / 75 W
	STG4 12DC type	215 W / 190 W / 110 W
	STG6 12DC type	250 W / 160 W / 85 W
	STG3 24DC type	250 W / 190 W / 95 W
	STG4 24DC type	240 W / 205 W / 110 W
	STG6 24DC type	410 W / 185 W / 90 W

WORKING FIELDS

mbar



OVERALL DIMENSIONS STG3 & STG 4 TYPES



OVERALL DIMENSIONS STG6 TYPES

